



UNI PLAY SOLO UP 1447

SLIDE 400



Device Specifications	
Safety zone	30,93 m ²
Length	6,35 m
Width	0,84 m
Total height	4,80 m
Free fall height	< 0,60 m
Age range	3-14 years
In accordance w/ EN standards	1176-1:2017
Weight of the heaviest part [kg]	32
Dimension of the biggest part [cm]	247x121x52
Availability of spare parts	Yes

Minimal space



Material Specification

- 90x90 mm main construction made of impregnated, laminated wood of pine;
- Top of the construction is secured with polyethylene caps to protect the wood surface from atmospheric conditions;
- Metal anchors are made of hot dip galvanized steel, protecting the wood from direct contact with the ground to prevent rot and extending the product's life;
- Platform is made of anti-slip and waterproof plywood or HPL plate;
- Panels are made of atmospheric condition resistant HDPE or HPL plates;
- Stainless steel screws or screws covered with plastic caps;
- No sharp edges or chinks that would pose a danger of jamming the head, fingers or any other body parts;
- · Bars made out of stainless steel;
- Stainless steel slide with HDPE or HPL side panels;

Additional comments

- The equipment is certified by an accrediting organization or by certificate of conformity;
- Depth of foundations on a flat surface: 80/70/60 cm;
- The equipment is designed for public playgrounds; specification of the equipment, but not its actual appearance. The colours may differ from those demonstrated on render.
- Slides should not be installed southwards;

Surfaces

Due to the free fall height of the equipment, the EN	1176-1:2017 standard allows the following	surfaces: turf/soi	(A,B,C),
sand with minimal layer thickness of 30 cm (A,C),	synthetic material approved for free fall of	0,35 m (A,B,C)	