

## UNI PLAY SWING ST1491

SWING












Device Specifications	
35,20 m <sup>2</sup>	
1,94 m	
5,46 m	
2,32 m	
1,30 m	
1-3/3-14 years	
1176-1:2017	
28	
300x8x8 cm	
Yes	



## Material specification

- Galvanized and/or powder coated steel 80 x 80 mm construction;
- Top of the construction is secured with polyethylene caps;
- Stainless steel screws or screws covered with plastic caps;
- · No sharp edges or chinks that would pose a danger of jamming the head, fingers or any other body parts;
- · Stainless steel chain hooks;
- · Calibrated chain preventing fingers from getting stuck;
- Durable certified seats;

## Additional information:

- The equipment is certified by an accrediting organization or by certificate of conformity;
- Depth of foundations on a flat surface : 80/70/60 cm;
- The equipment is designed for public playgrounds; Specification of the equipment, but not its actual appearance. The equipment render is of an illustrative nature and shows only the general specification of the equipment, but not its actual appearance.
- · Available with different seat options: R1 flat seat, R2 cradle seat, R3 belt seat, R5 flat with back rest;

## Surfaces

Due to the free fall height of the equipment, the EN 1176-1:2017 standard allows the following surfaces: sand with minimal layer thickness of 30 cm (A,C), synthetic material approved for free fall of 1,30 m (A,B,C)